

	D	D
Version 3.0	Revision Date 04/26/2018	Print Date 05/24/2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Zep Meter Mist Insect Killer II	
EPA ID Number:		10807-467-1270	
Material number	:	0000000000018801	
Manufacturer or supplier's details			
Company	:	Zep, Inc.	
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137	
Telephone	:	404-352-1680	

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Pesticide

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	mild, pleasant

GHS Classification

Flammable aerosols Gases under pressure Aspiration hazard	: Category 2 : Liquefied gas : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.
Precautionary statements	: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames



Version 3.0	Revision Date 04/26/2018	Print Date 05/24/2018
	and other ignition sources. No sm P211 Do not spray on an open fla P251 Pressurized container: Do r use. Response: P301 + P310 IF SWALLOWED: I CENTER/doctor. P331 Do NOT induce vomiting. Storage: P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 1 Disposal: P501 Dispose of contents/contair regulation.	ame or other ignition source. not pierce or burn, even after mmediately call a POISON nt. Do not expose to 22 °F.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 30 - < 50
1,1-difluoroethane	75-37-6	>= 30 - < 50
butane	106-97-8	>= 10 - < 20
N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3- dicarboximide	113-48-4	>= 3 - < 5
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.	
If inhaled	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of skin contact	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse. Remove contaminated clothing and shoes.	
In case of eye contact	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water, also under the eyeli	ds,



Version 3.0	Revision Date 04/26/2018	Print Date 05/24/2018
	for at least 15 minutes.	
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center. Take victim immediately to hospita	n. rected to do so by a
Most important symptoms and effects, both acute and delayed	 Effects may be delayed, symptoms skin irritation. Aspiration may cause pulmonary o Overexposure may cause mild eye May be fatal if swallowed and ente Review section 2 of SDS to see all 	edema and pneumonitis. or skin irritation. rs airways.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products		Carbon dioxide (CO2) Carbon monoxide Smoke Fluorine compounds Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Use personal protective equipment.



Version 3.0	Revision Date 04/26/2018	Print Date 05/24/2018
protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe area Beware of vapours accumulating concentrations. Vapours can acc	to form explosive
Environmental precautions	: Prevent product from entering dr. Prevent further leakage or spillag If the product contaminates rivers respective authorities.	je if safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mat acid binder, universal binder, sav Sweep up or vacuum up spillage container for disposal.	vdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Store and keep away from bases and alkalies. Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0

Components with workplace control parameters



1,1-difluoroethane butane	75.07.0	TWA (Mist) TWA (Mist) TWA (Mist) ST (Mist) PEL (portiouloto)	5 mg/m3 5 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3	OSHA Z-1 OSHA P0 NIOSH REL NIOSH REL	
•	75.07.0	TWA (Mist) TWA (Mist) ST (Mist) PEL	5 mg/m3 5 mg/m3 10 mg/m3	OSHA P0 NIOSH REL	
•	75.07.0	TWA (Mist) ST (Mist) PEL	5 mg/m3 10 mg/m3	NIOSH REL	
•	75.07.0	ST (Mist) PEL	10 mg/m3		
•	75.07.0	PEL			
•	75 07 0	(particulate)	5 mg/m5	CAL PEL	
hutopo	75-37-6	ŤWA	1,000 ppm	US WEEL	
Dutane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL	
		TWA	800 ppm 1,900 mg/m3	OSHA P0	
		PEL	800 ppm 1,900 mg/m3	CAL PEL	
Respiratory protection	ventilation	n is provided or ex	unless adequate loc xposure assessmen ecommended expos	t demonstrates	
Hand protection Material Remarks	: The suital	 Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves. 			
	: Safety glasses				
Eye protection	: Safety gla	ISSES			
Eye protection Skin and body protection	: Imperviou Choose b	is clothing ody protection ac	cording to the amou rous substance at t		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: mild, pleasant
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable

SAFETY DATA SHEET



ZEP METER MIST INSECT KILLER II DZ

Version 3.0	Revision Date 04/26/2018	Print Date 05/24/2018
Evaporation rate	: No data available	
Flammability (solid, gas)	: Flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.84 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight. Heat, flames and sparks.
Incompatible materials	: Acids Bases Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure	:	Effects may be delayed, symptoms may include minor eye or



Version 3.0	Revision Date 04/26/2018	Print Date 05/24/2018
	skin irritation. Aspiration may cause pulmonary o	pedema and pneumonitis.
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probabl	
ACGIH	human carcinogen by IARC. No component of this product presen equal to 0.1% is identified as a carcir	t at levels greater than or
OSHA	carcinogen by ACGIH. No component of this product presen	
NTP	equal to 0.1% is on OSHA's list of real No component of this product presen equal to 0.1% is identified as a know by NTP.	t at levels greater than or
cute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	ng/kg
Acute inhalation toxicity	: Acute toxicity estimate : 17.09 mg, Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method	/1
Acute dermal toxicity	: Acute toxicity estimate : 4,039 mg, Method: Calculation method	/kg
Components:		
Distillates (petroleum), hydr Acute oral toxicity	rotreated light: : LD50 Rat: > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg	
1,1-difluoroethane:		
Acute inhalation toxicity	: LC50 Mouse: 977,000 mg/l Exposure time: 2 h	
N-(2-ethylhexyl)-8,9,10-trinc Acute oral toxicity	prborn-5-ene-2,3-dicarboximide: : LD50 Oral Rat: 2,800 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 470 mg/kg	
kin corrosion/irritation		

SAFETY DATA SHEET



ZEP METER MIST INSECT KILLER II DZ

Version 3.0

Revision Date 04/26/2018

Print Date 05/24/2018

Product:

Remarks: May irritate skin.

Serious eye damage/eye irritation

Product:

Remarks: May irritate eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available

Components:

Distillates (petroleum), hydrotreated light: Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available



Version 3.0	Revision Date 04/26/2018	Print Date 05/24/2018
Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane : Partition coefficient: n-	: Remarks: No data available : Pow: 2.89	
octanol/water		
Mobility in soil		
No data available		
Other adverse effects		
No data available <u> Product:</u>		
Regulation	40 CFR Protection of Environment; Stratospheric Ozone - CAA Section Substances	
Remarks	This product neither contains, nor w with a Class I or Class II ODS as de Clean Air Act Section 602 (40 CFR + B).	efined by the U.S.
Additional ecological information	: No data available	
<u>Components:</u> Distillates (petroleum), hydrof	reated light :	
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):	
ORM-D, CONSUMER COMMODITY	

SAFETY DATA SHEET



Version 3.0

Revision Date 04/26/2018

Print Date 05/24/2018

Zedina

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, (LQ), - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Harmful if swallowed.

Harmful if absorbed through skin.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. This pesticide is toxic to fish and aquatic invertebrates. Observe label precautions.

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Pyrethrins and Pyrethroids	8003-34-7	1	102

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)



Version 3.0		Revision Date 04/26/2018	Print Date 05/2	4/2018
		Gases under pressure Aspiration hazard		
SARA 302	:	No chemicals in this material are subject requirements of SARA Title III, Section		
SARA 313	:	The following components are subject to established by SARA Title III, Section 3 2-(2-butoxyethoxy)ethyl 6- propylpiperonyl ether	313:	1.95 %
California Prop. 65				
		WARNING: This product can expose including 4-allylveratrole, which is/are California to cause cancer. For more www.P65Warnings.ca.gov.	e known to the Sta	te of

The components of this product are reported in the following inventories:

DSL
TSCA

All components of this product are on the Canadian DSL On TSCA Inventory


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	3

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:



Version 3.0	Revision Date 04/26/2018	Print Date 05/24/2018
Hazard pictograms		
Signal word Hazard statements	 Danger: Flammable aerosol. Contains gas under pressure; may if swallowed and enters airways. 	explode if heated. May be fatal
Precautionary statements	: Prevention: Keep away from heat, hot surfaces, sparks sources. No smoking. Do not spray on an open flame o Pressurized container: Do not pierce or burn, even after Response: IF SWALLOWED: Immediately call a POISe induce vomiting. Storage: Protect from sunlight. Do not expose to tempe	r other ignition source. r use. ON CENTER/doctor. Do NOT
	°F. Disposal: Dispose of contents/container in accordance	with local regulation.

Version:	3.0
Revision Date:	04/26/2018
Print Date:	05/24/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.