Printing date 05/09/2016

Reviewed on 04/01/2014

1 Identification

- · Product identifier
- · Trade name: Chlorophyll Pigment
- · Article number: R310550
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: American Educational Products
 1120 Halbleib Rd. Chippewa Falls, WI 54729
 (715) 723-4427
- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Technical Coordinator Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number: Chemtrec: 800-424-9300

2 *Hazard*(*s*) *identification*

Canutec: 613-996-6666

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• Hazard statements

Highly flammable liquid and vapor.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

 $Use\ explosion-proof\ electrical/ventilating/lighting/equipment.$

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US




Printing date 05/09/2016

Reviewed on 04/01/2014

Trade name: Chlorophyll Pigment

(Contd. of page 1)

94.0%



 $\begin{array}{c} \textbf{Health} = 0\\ Fire = 3\\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH \bigcirc Health = 0FIRE3Fire = 3REACTIVITY \bigcirc Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

• vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.
- Dangerous components: CAS: 67-64-1 Acetone

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Not required.* • *Environmental precautions: Dilute with plenty of water.*

(Contd. on page 3)

⁻ US

Printing date 05/09/2016

Reviewed on 04/01/2014

(Contd. of page 2)

Trade name: Chlorophyll Pigment

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 67-64-1 Acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

· Ingredients with biological limit values:

CAS: 67-64-1 Acetone

BEI 50 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Acetone (nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 05/09/2016

Reviewed on 04/01/2014

(Contd. of page 3)

Trade name: Chlorophyll Pigment

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection: Goggles recommended during refilling.*

9 Physical and chemical properties

General Information	
Appearance:	
Form:	Liquid
Color:	Dark green
Odor: Odor threshold:	Acetone Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	56 °C (133 °F)
Flash point:	-19 °C (-2 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	465 °C (869 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	13.0 Vol %
Vapor pressure at 20 °C (68 °F):	233 hPa (175 mm Hg)
Density at 20 °C (68 °F):	$0.8 \ g/cm^3$ (6.676 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	94.0 %

US

Printing date 05/09/2016

Reviewed on 04/01/2014

(Contd. of page 4)

Trade name: Chlorophyll Pigment

VOC content:	
Solids content:	
• Other information	

0.0 g/l / 0.00 lb/gl

1.1 % No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 67-64-1 Acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.

(Contd. on page 6)

[–] US

Printing date 05/09/2016

Reviewed on 04/01/2014

(Contd. of page 5)

Trade name: Chlorophyll Pigment

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

TTAT AT		
UN-Number DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Acetone)	
IMDG	FLAMMABLE LIQUID, N.O.S. (ACETONE)	
IATA	Flammable liquid, n.o.s. (Acetone)	
Transport hazard class(es)		
DOT		
RAMMARE LOUD		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
- Class	3 Flammable liquids	
Label	3	
Packing group IMDG	II	
	11	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	3	
EMS Number: Stowage Category	F-E,S-D B	

Printing date 05/09/2016

Reviewed on 04/01/2014

Trade name: Chlorophyll Pigment

(Contd. of page 6)

MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 67-64-1 Acetone

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-64-1 Acetone

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



(Contd. on page 8)

Ι

A4

US

Printing date 05/09/2016

Reviewed on 04/01/2014

Trade name: Chlorophyll Pigment

	(Contd. of page 7)
· Signal word Danger	
· Hazard statements	
Highly flammable liquid and vapor.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Wear protective gloves / eye protection / face protection.	
Ground/bond container and receiving equipment.	
Keep container tightly closed.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulations	5.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

· Date of preparation / last revision Creation Date for SDS 12-30-2014 STN Creation date for SDS 04-01-2014 05/09/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids, Hazard Category 2