Sudan IV Fat Stain, Herxheimer



Section 1

Product Description

Product Name: Recommended Use: Synonyms: Distributor: Sudan IV Fat Stain, Herxheimer Science education applications Sudan IV Fat Stain Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150 800-227-1150 (8am-5pm (ET) M-F) 800-424-9300 (Transportation Spill Response 24 hours)

Chemical Information: Chemtrec:

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



Section 2



Highly flammable liquid and vapor. Causes serious eye irritation. May cause damage to organs. Toxic to aquatic life.

GHS Classification:

Flammable Liquid Category 2, Serious Eye Damage/Eye Irritation Category 2, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 2, Hazardous to the aquatic environment - Acute Category 2

Other Safety Precautions:

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Section 3	Composition / Information on Ingredients			
Chemical Name		CAS #	%	
Acetone		67-64-1	50	
Water		7732-18-5	14.95	
Sudan IV		85-83-6	0.05	
Ethanol, 95%		64-17-5	35	

Section 4

First Aid Measures

Emergency and First Aid Procedures

Inhalation:	In case of accident by inhalation: remove casualty to fresh air and keep at rest.
Eyes:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
-	to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Ingestion:	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media:	Water fog in flooding quantities. Apply water from as far a distance as possible. Use dry chemical, CO2 or appropriate foam.
Fire Fighting Methods and Protection:	Firefighters should wear full protective equipment and NIOSH approved self-contained
Fire and/or Explosion Hazards:	breathing apparatus. Fire or excessive heat may produce hazardous decomposition products. Vapors may travel back to ignition course. Closed Captainers exposed to best may explade
	travel back to ignition source. Closed Containers exposed to heat may explode.

Hazardous Comb	oustion Products:	Carbon dioxide, Carbon	monoxide			
Section 6		Spill or Leak	Procedures			
	Steps to Take in Case Material Is Released or Spilled: the emp Pret to d recc grar Shu		posure to the spilled material may be irritating or harmful. Follow personal protective uipment recommendations found in Section 8 of this SDS. Additional precautions may be cessary based on special circumstances created by the spill including; the material spilled, e quantity of the spill, the area in which the spill occurred. Also consider the expertise of uployees in the area responding to the spill. event the spread of any spill to minimize harm to human health and the environment if safe do so. Wear complete and proper personal protective equipment following the commendation of Section 8 at a minimum. Dike with suitable absorbent material like anulated clay. Gather and store in a sealed container pending a waste disposal evaluation. ut off ignition sources; including electrical equipment and flames. Do not allow smoking in a rea.			
Section 7		Handling an	d Storage			
Handling:	Ground/bond containe equipment. Use only a dust/fume/gas/mist/va	er and receiving equipmer non-sparking tools. Take p pors/spray. Wash thoroug	nt. Use explosion-proc precautionary measur ghly after handling. Do	g. Keep container tightly c of electrical/ventilating/light es against static discharge o no eat, drink or smoke w rotective clothing/eye prote	ting/…/ e. Do not breathe hen using this	
Storage:	Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Suitable for any general chemical storage.					
Storage Code:	Red - Flammables. Si	tore in approved flammabl	e containers. Store av	way from oxidizing materia	als.	
Storage Code: Section 8	Red - Flammables. Si	tore in approved flammabl Protection II		way from oxidizing materia	als.	
Section 8	Red - Flammables. Si	Protection I	nformation	OSHA P	EL	
_	Red - Flammables. Si	Protection I	nformation	<u>OSHA P</u> (TWA) 1000 ppm TWA;		
Section 8	Red - Flammables. Si	Protection In ACG (TWA)	nformation	<u>OSHA P</u> (TWA)	<u>EL</u> (STEL)	
Section 8 <u>Chemical Name</u> Acetone Sudan IV Control Parameter Engineering Mea	rs sures: ive Equipment (PPE):	Protection In ACG (TWA) 500 ppm TWA N/A Local exhaust ventilatio handling or using this pu Lab coat, apron, eye wa Respiratory protection v ventilation cannot be us	nformation (STEL) 750 ppm STEL N/A n or other engineering roduct to avoid overes ash, safety shower. vill be required when	OSHA P (TWA) 1000 ppm TWA; 2400 mg/m3 TWA N/A g controls are normally rec	EL (STEL) N/A N/A quired when	
Section 8 <u>Chemical Name</u> Acetone Sudan IV Control Parameter Engineering Mea Personal Protect	rs sures: ive Equipment (PPE):	Protection In ACG (TWA) 500 ppm TWA N/A Local exhaust ventilation handling or using this put Lab coat, apron, eye wa Respiratory protection w ventilation cannot be us acceptable levels. Wear chemical splash g	nformation (STEL) 750 ppm STEL N/A n or other engineering roduct to avoid overes ash, safety shower. vill be required when ed to eliminate sympt	OSHA P (TWA) 1000 ppm TWA; 2400 mg/m3 TWA 2400 mg/m3 TWA N/A g controls are normally red kposure. handling this product. Use	EL (STEL) N/A N/A quired when respirators only if ure to below	
Section 8 <u>Chemical Name</u> Acetone Sudan IV Control Parameter Engineering Mea Personal Protect Respiratory Prote	rs sures: ive Equipment (PPE):	Protection In ACG (TWA) 500 ppm TWA N/A Local exhaust ventilation handling or using this put Lab coat, apron, eye wat Respiratory protection w ventilation cannot be us acceptable levels. Wear chemical splash g available. Avoid skin contact by w equipment depending u and replace at regular in	ILE (STEL) 750 ppm STEL N/A n or other engineering roduct to avoid overes ash, safety shower. vill be required when ed to eliminate sympt goggles when handling earing chemically res pon conditions of use htervals. Clean protect	OSHA P (TWA) 1000 ppm TWA; 2400 mg/m3 TWA N/A g controls are normally red kposure. handling this product. Use toms or reduce the exposu	EL (STEL) N/A N/A quired when respirators only if ure to below re wash station d other protective cal break-through Wash hands and	

Section 9

Physical Data

Formula: See Section 3	Vapor Pressure: No data available
Molecular Weight: No data available	Evaporation Rate (BuAc=1): No data available
Appearance: Dark Red Colorless Liquid	Vapor Density (Air=1): No data available
Odor: Strong Fruity	Specific Gravity: No data available
Odor Threshold: No data available	Solubility in Water: Soluble
pH: No data available	Log Pow (calculated): No data available
Melting Point: No data available	Autoignition Temperature: No data available
Boiling Point: No data available	Decomposition Temperature: No data available
Flash Point: No data available	Viscosity: No data available
Flammable Limits in Air: No data available	Percent Volatile by Volume: 83%

Section 10			Popotivity Data		
Section 10 Reactivity: Chemical Stability: Conditions to Avoid:		Not generally reactive Stable under normal o Temperatures above	Reactivity Data e under normal conditions conditions. flash point in combination		ames, or other
Incompatible Materials Hazardous Decompos		sources of ignition. Caustics (bases), Peroxides, Strong acids, Oxidizing materials, Halogens, Water-reactive materials			
Hazardous Polymeriza		Will not occur			
Section 11		Toxic	ity Data		
	Inhalation, Inge Eye disorders No data available	stion, and Skin contact			
Acute Toxicity: Chemical Name Acetone		CAS Number	Oral LD50 Oral LD50 Mouse 3000 mg/kg	Dermal LD50 Dermal LD50 Rabbit 20000 mg/kg	Inhalation LC50 Inhalation LC50 (8h) Rat 50.1 MG/L
Water Sudan IV			Oral LD50 Rat 90000 mg/kg		MO/L
Carcinogenicity: Chemical Name Acetone Sudan IV		CAS Number	IARC Not listed Not listed	NTP Not listed Not listed	OSHA Not listed Not listed
Chronic Effects: Mutagenicity: Teratogenicity: Sensitization: Reproductive: Target Organ Effects: Acute: Chronic:	No evidence of a mutagenic effect. No evidence of a teratogenic effect (birth defect). No evidence of a sensitization effect. No evidence of negative reproductive effects. cts: Central Nervous System, Cardiovascular system Male Reproductive System				
Section 12			cological Data		
Overview: Mobility: Persistence: Bioaccumulation: Degradability: Other Adverse Effects	No data No data No data No data		be harmful to the ecolog	gy.	
Chemical Name Acetone Water		CAS Number	Eco Toxicity 96 HR LC50 LEPOMIS 96 HR LC50 ONCORH 48 HR EC50 DAPHNIA No data available	YNCHUS MYKISS 4."	74 - 6.33 ml/l
Sudan IV Section 13		Dis	posal Informati	on	

Disposal Methods:

Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s):

If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name:

UN1993 Flammable Liquid, N.O.S. (Acetone, Ethanol, 2-Propanol, Methanol) Class 3 P.G. II Air - IATA Proper Shipping Name: UN1993 Flammable Liquid, N.O.S. (Acetone, Ethanol, 2-Propanol, Methanol) Class 3 P.G. II

Section 15

Regulatory Information

All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Acetone		No	No	No	No	No
Sudan IV		No	No	No	No	No

California Prop 65:

No California Proposition 65 ingredients

	Section 16		Additional Information
--	------------	--	---------------------------

Revised: 08/21/2018

Replaces: 06/15/2018

Printed: 08-25-2018

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health