GE Healthcare

SAFETY DATA SHEET

United States

Section 1. Identification Product name

Sephadex™ G-25 Medium, 100 g

Catalogue Number

17-0033-01



Chemical name	
Other means of identification	
Product type	

Sephadex Bead-formed crosslinked Dextran Powder.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Use in laboratories

Industrial applications: Analytical chemistry. Liquid chromatography. Manufacture of chemicals. Research.

Supplier	GE Healthcare UK Ltd Amersham Place Little Chalfont Buckinghamshire HP7 9NA England +44 0870 606 1921	GE Healthcare Bio-Science: 800 Centennial Avenue P.O. Box 1327 Piscataway, NJ 08855-132 + 1 800 526 3593	
In case of emergency	ChemTrec US (available 24/7)	1-800-424-9300	
Section 2. Hazards identifi	cation		
OSHA/HCS status	1910.1200), this MSDS contains v	red hazardous by the OSHA Hazard Comr aluable information critical to the safe ha ained and available for employees and ot	ndling and proper use of the
Classification of the substance or mixture	Not classified.		
GHS label elements			
Signal word Hazard statements	No signal word. No known significant effects or c	ritical hazards	
Precautionary statements	No known significant cricets of c		
Prevention Response Storage Disposal Hazards not otherwise classified		sive mixtures with air. Handling and/or pr	
	generate a dust which can cause	e mechanical irritation of the eyes, skin, no	ose and throat.
Section 3. Composition/int	formation on ingredients	5	
Substance/mixture Chemical name Other means of identification	Substance Sephadex Bead-formed crosslinked Dextra	n	
<u>CAS number/other identifiers</u> CAS number	9004-54-0		
Product code	17-0033-01		
Ingredient name Sephadex		% 100	CAS number 9004-54-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.





There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid r	neasures	
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.	
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.	
Ingestion	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.	
Most important symptoms/effects	, acute and delayed	
Potential acute health effects		
Eye contact	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.	
Inhalation	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.	
Skin contact	No known significant effects or critical hazards.	
Ingestion	No known significant effects or critical hazards.	
Over-exposure signs/symptoms		
Eye contact	Adverse symptoms may include the following: irritation redness	
Inhalation	Adverse symptoms may include the following: respiratory tract irritation coughing	
Skin contact	No specific data.	
Ingestion	No specific data.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Specific treatments	No specific treatment.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.	
See toxicological information (Sect	ion 11)	

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	No specific fire or explosion hazard.
Hazardous thermal decomposition products	No specific data.
Special protective actions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Put on appropriate personal protective equipment.	
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for containment and cleaning up		





Sephadex™ G-25 Medium, 100 g	17-0033-0:
Small spill	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Section 7. Handling and st	orage
Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store between the following temperatures: 4 to 30°C (39.2 to 86°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Section 8. Exposure contro	bls/personal protection
Control parameters	
Occupational exposure limits None.	
Appropriate engineering controls	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	Solid. [Solid beads.]
Color	White to yellowish.
Odor	Odorless.
Odor threshold	Not available.
рН	Not applicable.
Melting point	Not available.
Boiling point	Not available.
Flash point	[Product does not sustain combustion.]
Burning time	Not available.
Burning rate	Not available.



Article Number : 17003301



Sephadex™ G-25 Medium, 100 g		17-003
Evaporation rate	Not applicable.	
Flammability (solid, gas)	Not available.	
Lower and upper explosive (flammable) limits	Not available.	
Vapor pressure	Not applicable.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility	Insoluble in the following materials: cold water, hot water, methanol and acetone.	
Solubility in water	Not available.	
Partition coefficient: n-octanol/ water	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
SADT	Not available.	
Viscosity	Not applicable.	

Section 10. Stability and reactivity

Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	No specific data.
Incompatible materials	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity Not available.

Irritation/Corrosion

Not available.

<u>Sensitization</u>

Not available.

<u>Mutagenicity</u>

Not available.

Carcinogenicity Not available.

Reproductive toxicity Not available.

Not available.

<u>Teratogenicity</u>

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of Routes of entry anticipated: Oral, Dermal, Inhalation. exposure

Potential acute health effects

Eye contactExposure to airborne concentrations above statutory or recommended exposure limits may cause
irritation of the eyes.InhalationExposure to airborne concentrations above statutory or recommended exposure limits may cause
irritation of the nose, throat and lungs.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics





Page: 4/6 Validation date 25 February 2016

Sephadex™ G-25 Medium, 100 g

Sephadex ¹¹⁴ G-25 Medium, 100 g		17-0055-01
Eye contact	Adverse symptoms may include the following: irritation	
	redness	
Inhalation	Adverse symptoms may include the following:	
	respiratory tract irritation coughing	
Skin contact	No specific data.	
Ingestion	No specific data.	
Delayed and immediate effects an	d also chronic effects from short and long term exposure	
Short term exposure		
Potential immediate effects	Not available.	
Potential delayed effects	Not available.	
Long term exposure		
Potential immediate effects	Not available.	
Potential delayed effects	Not available.	
Potential chronic health effects		
Not available.		
General	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.	
Carcinogenicity	No known significant effects or critical hazards.	
Mutagenicity	No known significant effects or critical hazards.	
Teratogenicity	No known significant effects or critical hazards.	
Developmental effects	No known significant effects or critical hazards.	
Fertility effects	No known significant effects or critical hazards.	
Numerical measures of toxicity		
Acute toxicity estimates		
Not available.		
Section 12. Ecological info	ormation	
•	Simaton	
<u>Toxicity</u>		
Not available.		
Persistence and degradability		
Not available.		
Bioaccumulative potential		
Not available.		
Mobility in soil		
Soil/water partition coefficient (K _{oc})	Not available.	
Other adverse effects	No known significant effects or critical hazards.	
Section 13. Disposal cons	iderations	
Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this	s product,
	solutions and any by-products should at all times comply with the requirements of environn	nental
	protection and waste disposal legislation and any regional local authority requirements. Dis	
	surplus and non-recyclable products via a licensed waste disposal contractor. Waste shoul disposed of untreated to the sewer unless fully compliant with the requirements of all author	
	jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be cor	nsidered when
	recycling is not feasible. This material and its container must be disposed of in a safe way.	
	containers or liners may retain some product residues. Avoid dispersal of spilled material ar contact with soil, waterways, drains and sewers.	na runott and
	contact with Son, watchways, aran's and sewers.	

Section 14. Transport information

Product is not regulated as dangerous goods for transport.

Section 15. Regulatory information

U.S. Federal regulations

TSCA 8(a) CDR Exempt/Partial exemption: This material is listed or exempted. United States inventory (TSCA 8b): This material is listed or exempted.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed



Article Number : 17003301




Page: 5/6 Validation date 25 February 2016

ingredients
Not applicable.
Not applicable.
ingredients
This material is not listed.
This material is listed or exempted.
Australia inventory (AICS): This material is listed or exempted.
China inventory (IECSC): This material is listed or exempted.
Japan inventory: This material is listed or exempted. Korea inventory: This material is listed or exempted.
Malaysia Inventory (EHS Register): Not determined.
New Zealand Inventory of Chemicals (NZIOC): This material is listed or exempted.
Philippines inventory (PICCS) : This material is listed or exempted.
Taiwan inventory (CSNN): Not determined.
on List Schedule I Chemicals Not listed
on List Schedule II Chemicals Not listed
on List Schedule III Chemicals Not listed

Section 16. Other information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

-	
Date of printing	2/25/2016.
Date of issue/Date of revision	2/25/2016.
Date of previous issue	4/15/2014.
Version	6.01
Key to abbreviations	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Article Number 17003301

