

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/17/2018

Reviewed on 05/15/2018

1 Identification

- **Product identifier**
- **Trade name:** UView™ 6X Loading Dye
- **Catalog or product number:**
10028897, 1665111, 10032074, 10032075, 1665112, 10028860, 1665111EDU, 1665112EDU
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547 (510)741-1000
- **Information department:** lsg_techserv_us@bio-rad.com
- **Emergency telephone number:**
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.
510-741-1000

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture of the substances listed below with non-hazardous additions.
 - **Listing of dangerous and non-hazardous components:**
- | | | |
|---------|----------|--------|
| 56-81-5 | glycerol | 20-35% |
|---------|----------|--------|
- **Additional information** For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/17/2018

Reviewed on 05/15/2018

Trade name: UView™ 6X Loading Dye

(Contd. of page 1)

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

| | |
|-----------------|----------------------|
| · PAC-1: | |
| glycerol | 45 mg/m ³ |

| | |
|------------------|-----------------------|
| · PAC-2: | |
| 56-81-5 glycerol | 180 mg/m ³ |

| | |
|------------------|-------------------------|
| · PAC-3: | |
| 56-81-5 glycerol | 1,100 mg/m ³ |

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

US

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/17/2018

Reviewed on 05/15/2018

Trade name: UView™ 6X Loading Dye

(Contd. of page 2)

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid
Color: Dark green
Odor: Odorless
Odor threshold: Not determined.

· **pH-value at 20 °C:** 5

· **Change in condition**

Melting point/Melting range: undetermined
Boiling point/Boiling range: 100 °C

· **Flash point:** > 100 °C

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** 400 °C

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**
Lower: Not determined.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/17/2018

Reviewed on 05/15/2018

Trade name: UView™ 6X Loading Dye

(Contd. of page 3)

| | |
|---|--|
| Upper: | Not determined. |
| · Vapor pressure at 20 °C: | 23 hPa |
| · Density: | Not determined |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with Water: | Fully miscible |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| dynamic: | Not determined. |
| kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 34.9 % |
| Water: | 64.6 % |
| · Solids content: | 0.5 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/17/2018

Reviewed on 05/15/2018

Trade name: UView™ 6X Loading Dye

(Contd. of page 4)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Target organs:** Not applicable.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Generally not hazardous for water.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA**

Void

· **UN proper shipping name**

· **DOT, ADR, ADN, IMDG, IATA**

Void

· **Transport hazard class(es)**

· **DOT, ADR, ADN, IMDG, IATA**

· **Class**

Void

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/17/2018

Reviewed on 05/15/2018

Trade name: UView™ 6X Loading Dye

(Contd. of page 5)

- **Packing group**
· DOT, ADR, IMDG, IATA Void
- **Environmental hazards:**
· Marine pollutant: No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**

- **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

- **Section 313 (40CFR372.65):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **TSCA new (21st Century Act)**

56-81-5 glycerol

ACTIVE/EXEMPT

- **California Proposition 65:**

None of the ingredients is listed.

- **Chemicals known to cause cancer:**

The product does not contain listed components.

- **Developmental Toxicity**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/17/2018

Reviewed on 05/15/2018

Trade name: UView™ 6X Loading Dye

(Contd. of page 6)

- **National regulations**
- **Technical instructions (air):**

| Class | Share in % |
|-------|------------|
| NK | 20-35 |

- **Water hazard class:** Generally not hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- **Date of preparation / last revision** 05/17/2018 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

- *** Data compared to the previous version altered.**