



Viscerol 30 - Multi-Phase Formula

Safety Data Sheet

Section 1: Identification

Product identifier

Product Name • **Viscerol 30**

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Cavity embalming fluid

Details of the supplier of the safety data sheet

Manufacturer • Kelco Supply
20000 176th Street NW
Big Lake, MN 55309
United States
www.kelcosupply.com
info@kelcosupply.com

Telephone (General) • 800-328-7720

Emergency telephone number

Manufacturer • 800-424-9300 - CHEMTREC

Manufacturer • 202-483-7616 - CHEMTREC International

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

- Flammable Liquids 4
- Acute Toxicity Oral 4
- Acute Toxicity Dermal 3
- Skin Corrosion 1C
- Skin Sensitization 1A
- Serious Eye Damage 1
- Acute Toxicity Inhalation 3
- Germ Cell Mutagenicity 1B
- Reproductive Toxicity 2
- Specific Target Organ Toxicity Single Exposure 2
- Specific Target Organ Toxicity Repeated Exposure 1

Label elements

OSHA HCS 2012

DANGER



Hazard statements • Combustible liquid

Harmful if swallowed
 Toxic in contact with skin
 Causes severe skin burns and eye damage.
 May cause an allergic skin reaction
 Causes serious eye damage
 Toxic if inhaled
 May cause genetic defects.
 Suspected of damaging fertility or the unborn child.
 May cause damage to organs.
 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention** ● Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
 Do not breathe mists, vapours, and/or spray.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves, clothing, and eye/face protection, .

- Response** ● In case of fire: Use appropriate media for extinction.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 Immediately call a POISON CENTER or doctor/physician.
 If on skin: Wash with plenty of water .
 Take off immediately all contaminated clothing and wash it before reuse.
 Specific treatment, see supplemental first aid information.
 If skin irritation or rash occurs: Get medical advice/attention.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

- Storage/Disposal** ● Store in a well-ventilated place. Keep container tightly closed.
 Keep cool.
 Store locked up.
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS

Classification of the substance or mixture

WHMIS

- Combustible Liquids - B3
 Very Toxic - D1A
 Other Toxic Effects - D2A
 Other Toxic Effects - D2B

Label elements

WHMIS



- Combustible Liquids - B3
 Very Toxic - D1A
 Other Toxic Effects - D2A
 Other Toxic Effects - D2B

Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients**Substances**

- Material does not meet the criteria of a substance.

Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Methanol	CAS:67-56-1	N/A	Inhalation-Rat LC50 • 64000 ppm 4 Hour(s) Skin-Rabbit LD50 • 15800 mg/kg Ingestion/Oral-Rat LD50 • 5600 mg/kg	OSHA HCS 2012: Flam. Liq. 2; Eye Irrit. 2A; Skin Irrit. 2; STOT SE 3: Narc.; STOT RE 1 (Eyes); STOT SE 2 (Eyes); Repr. 2	NDA
Formaldehyde	CAS:50-00-0	N/A	Ingestion/Oral-Rat LD50 • 100 mg/kg Inhalation-Rat LC50 • 250 ppm 2 Hour(s) Skin-Rabbit LD50 • 270 mg/kg	OSHA HCS 2012: Skin Corr. 1C; Eye Dam. 1; Acute Tox. 3 (orl, skn); Carc. 1A; Skin Sens. 1A; Muta. 1B; Acute Tox. 2 (inhl)	NDA
Proprietary	Proprietary	N/A	NDA	OSHA HCS 2012: Acute Tox. 4 (orl); Skin Irrit. 2; Skin Sens. 1	NDA
Proprietary	Proprietary	N/A	Ingestion/Oral-Rat LD50 • 4 g/kg	OSHA HCS 2012: Eye Dam. 1; Acute Tox. 4 (orl)	NDA

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: First-Aid Measures**Description of first aid measures****Inhalation**

- Move victim to fresh air. Administer oxygen if breathing is difficult. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

- For minor skin contact, avoid spreading material on unaffected skin. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Wash skin with soap and water. If irritation develops and persists, get medical attention.

Eye

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. If eye irritation persists: Get medical advice/attention.

Ingestion

- Rinse mouth. Do NOT induce vomiting. Seek medical attention immediately.

Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

- Suitable Extinguishing Media**
- SMALL FIRES: Dry chemical, CO₂, water spray or alcohol-resistant foam.
 - LARGE FIRES: Water spray, fog or alcohol-resistant foam.

Unsuitable Extinguishing Media

- No data available

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- Containers may explode when heated.
- HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Many liquids are lighter than water. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may travel to source of ignition and flash back. Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard. Formaldehyde can oxidize with air and heat to give corrosive formic acid fumes.

Hazardous Combustion Products

- No data available

Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk. LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Ventilate enclosed areas. CAUTION: Victim may be a source of contamination. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Do not get water inside container. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Stop leak if you can do it without risk. Absorb small amounts on paper or rags and remove in a labeled, covered container. For large spills absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean non-sparking tools to collect absorbed material. A vapor suppressing foam may be used to reduce vapors. All equipment used when handling the product must be grounded. LARGE SPILLS: Dike far ahead of liquid spill for later disposal. LARGE SPILLS: Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

- Use only with adequate ventilation. Handle and open container with care. Keep away from heat, sparks, and flame. Take precautionary measures against static charges. All equipment used when handling the product must be grounded. Use caution when combining with water; DO NOT add water to corrosive liquid, ALWAYS add corrosive liquid to water while stirring to prevent release of heat, steam and fumes. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe mist, vapours and/or spray. Do not get in eyes or on skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Conditions for safe storage, including any incompatibilities

Storage

- Keep container tightly closed. Store in a dry, well-ventilated place above 35°F. Keep away from fire.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Proprietary (Proprietary)	TWAs	Not established	5 mg/m ³ TWA	Not established
Methanol (67-56-1)	TWAs	200 ppm TWA	200 ppm TWA; 260 mg/m ³ TWA	200 ppm TWA; 260 mg/m ³ TWA
	STELs	250 ppm STEL	250 ppm STEL; 325 mg/m ³ STEL	Not established
Formaldehyde (50-00-0)	STELs	Not established	Not established	2 ppm STEL (see 29 CFR 1910.1048)
	TWAs	Not established	0.016 ppm TWA	0.75 ppm TWA
	Ceilings	0.3 ppm Ceiling	0.1 ppm Ceiling (15 min)	Not established

Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof electrical/ventilating/lighting/equipment.

Personal Protective Equipment

Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear chemical splash safety goggles.

- Skin/Body**
- Wear appropriate gloves. Wear protective clothing - Splash apron
- Environmental Exposure Controls**
- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

STEL = Short Term Exposure Limits are based on 15-minute exposures

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Clear liquid with a pungent odor.
Color	Clear	Odor	Pungent
Odor Threshold	No data available		
General Properties			
Boiling Point	190 to 210 F(87.7778 to 98.8889 C)	Melting Point	No data available
Decomposition Temperature	No data available	pH	No data available
Specific Gravity/Relative Density	> 1 Water=1	Water Solubility	Soluble
Viscosity	No data available		
Volatility			
Vapor Pressure	No data available	Vapor Density	> 1 Air=1
Evaporation Rate	No data available	Volatiles (Wt.)	95 %
Volatiles (Vol.)	95 %		
Flammability			
Flash Point	> 185 F(> 85 C) CC (Closed Cup)	UEL	73 % Formaldehyde
LEL	7 % Formaldehyde	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

- No dangerous reaction known under conditions of normal use.

Chemical stability

- Stable under normal temperatures and pressures.

Possibility of hazardous reactions

- Hazardous polymerization will not occur.

Conditions to avoid

- Keep away from heat, sparks, and flame.

Incompatible materials

- May react violently if mixed with phenol, strong acid and alkali or oxidizing agents.

Hazardous decomposition products

- No data available

Section 11 - Toxicological Information

Information on toxicological effects

		Components
Formaldehyde (N/A)	50-00-0	<p>Acute Toxicity: Ingestion/Oral-Rat LD50 • 100 mg/kg; Inhalation-Rat LC50 • 203 mg/m³; <i>Peripheral Nerve and Sensation:Spastic paralysis with or without sensory change</i>; <i>Behavioral:Convulsions or effect on seizure threshold</i>; <i>Behavioral:Excitement</i>; Inhalation-Rat TCLo • 15 ppm; <i>Sense Organs and Special Senses:Olfaction:Tumors</i>; <i>Lungs, Thorax, or Respiration:Sputum</i>; <i>Gastrointestinal:Decreased motility or constipation</i>; Skin-Rabbit LD50 • 270 µL/kg;</p> <p>Irritation: Eye-Rabbit • 10 mg • Severe irritation;</p> <p>Mutagen: Mutation in Mammalian Somatic Cells • Unreported Route-Mouse • Lymphocyte (Somatic cell) • 74 mg/L;</p> <p>Reproductive: Inhalation-Rat TCLo • 12 µg/m³ 24 Hour(s)(15D pre/1-22D preg); <i>Reproductive Effects:Effects on Newborn:Growth statistics (e.g., reduced weight gain)</i>; <i>Reproductive Effects:Effects on Newborn:Other postnatal measures or effects</i>;</p> <p>Tumorigen / Carcinogen: Inhalation-Rat • 15 ppm 6 Hour(s) 78 Week(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria</i>; <i>Sense Organs and Special Senses:Olfaction:Tumors</i></p>
Methanol (N/A)	67-56-1	<p>Acute Toxicity: Ingestion/Oral-Rat LD50 • 5600 mg/kg; Inhalation-Rat LC50 • 64000 ppm 4 Hour(s); Skin-Rabbit LD50 • 15800 mg/kg;</p> <p>Irritation: Eye-Rabbit • 100 mg 24 Hour(s) • Moderate irritation; Skin-Rabbit • 20 mg 24 Hour(s) • Moderate irritation;</p> <p>Mutagen: Cytogenetic analysis • Ingestion/Oral-Mouse • 1 g/kg; DNA damage • Ingestion/Oral-Rat • 10 µmol/kg;</p> <p>Reproductive: Inhalation-Mouse TCLo • 1500 ppm 6 Hour(s)(7-9D preg); <i>Reproductive Effects:Specific Developmental Abnormalities:Central nervous system</i>;</p> <p>Tumorigen / Carcinogen: Inhalation-Rat TCLo • 1000 ppm 2 Year(s)-Intermittent; <i>Tumorigenic:Equivocal tumorigenic agent by RTECS criteria</i>; <i>Lungs, Thorax, or Respiration:Tumors</i>; <i>Tumorigenic:Increased incidence of tumors in susceptible strains</i></p>
Proprietary (N/A)	Proprietary	<p>Acute Toxicity: Ingestion/Oral-Rat LD50 • 4 g/kg</p>
Proprietary (N/A)	Proprietary	<p>Acute Toxicity: Ingestion/Oral-Rat LD50 • 1300 mg/kg; <i>Behavioral:Somnolence (general depressed activity)</i>; <i>Behavioral:Coma</i>;</p> <p>Irritation: Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation;</p> <p>Multi-dose Toxicity: Inhalation-Rat TCLo • 500 ppm 6 Hour(s) 14 Day(s)-Continuous; <i>Liver:Changes in liver weight</i>; <i>Blood:Changes in other cell count (unspecified)</i>; <i>Nutritional and Gross Metabolic:Gross Metabolite Changes:Weight loss or decreased weight gain</i></p>

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal 3 - ATEmix (skn)= 764.14031 mg/kg; Acute Toxicity - Inhalation 3 - ATEmix (inhl) = 884.42166 ppm; Acute Toxicity - Oral 4 - ATEmix (orl)= 353.76866 mg/kg
Aspiration Hazard	OSHA HCS 2012 • No data available
Carcinogenicity	OSHA HCS 2012 • No data available
Germ Cell Mutagenicity	OSHA HCS 2012 • Germ Cell Mutagenicity 1B
Skin corrosion/Irritation	OSHA HCS 2012 • Skin Corrosion 1C
Skin sensitization	OSHA HCS 2012 • Skin Sensitizer 1A
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 2

Toxicity for Reproduction	OSHA HCS 2012 • Toxic to Reproduction 2
Respiratory sensitization	OSHA HCS 2012 • No data available
Serious eye damage/Irritation	OSHA HCS 2012 • Serious Eye Damage 1

Potential Health Effects

Inhalation

Acute (Immediate)

- Toxic if inhaled. May cause corrosive burns - irreversible damage.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive fumes may cause bronchial irritation with chronic cough.

Skin

Acute (Immediate)

- Toxic in contact with skin. Causes severe skin burns and eye damage. May cause skin sensitization. Symptoms include redness, and skin rash.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials will cause dermatitis.

Eye

Acute (Immediate)

- Causes serious eye damage.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

Ingestion

Acute (Immediate)

- Harmful if swallowed. May cause irreversible damage to mucous membranes.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal disturbances.

Other

Acute (Immediate)

- Acute methanol toxicity in humans causes blurred vision, photophobia, and pains in the eyes. Depending on the amount of methanol consumed, the individual susceptibility and the time at which treatment began, these visual disturbances may either recede or develop within a few days into visual impairments or total blindness.

Chronic (Delayed)

- The neurotoxic effects of methanol on the visual system can involve transient abnormalities such as peripapillary edema, optic disc hyperemia, diminished pupillary reactions to light, and central scotomata. Permanent ocular abnormalities include optic disc pallor, attenuation of arterioles, sheathing of arterioles, diminished pupillary reactions to light, diminished visual acuity, central scotomata, and other nerve fiber bundle defects.

Mutagenic Effects

- Repeated and prolonged exposure may cause mutagenic effects.

Carcinogenic Effects

- Repeated and prolonged exposure may cause cancer.

Carcinogenic Effects				
	CAS	OSHA	IARC	NTP
Formaldehyde	50-00-0	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen

Reproductive Effects

- Repeated and prolonged exposure may affect the reproductive system.

Key to abbreviations

LC = Lethal Concentration

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information

Toxicity

- Non-mandatory section - information about this substance not compiled for this

reason.

Persistence and degradability

- Non-mandatory section - information about this substance not complied for this reason.

Bioaccumulative potential

- Non-mandatory section - information about this substance not complied for this reason.

Mobility in Soil

- Non-mandatory section - information about this substance not complied for this reason.

Other adverse effects

- Non-mandatory section - information about this substance not complied for this reason.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	Consumer commodity	ORM-D	NDA	NDA
TDG	NDA	Consumer commodity	NDA	NDA	NDA

Special precautions for user

- None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

- Acute, Chronic, Fire

Inventory				
Component	CAS	Canada DSL	Canada NDSL	TSCA
Proprietary	Proprietary	Yes	No	Yes
Proprietary	Proprietary	Yes	No	Yes
Formaldehyde	50-00-0	Yes	No	Yes
Methanol	67-56-1	Yes	No	Yes
Polysorbate 20	9005-64-5	Yes	No	Yes

Canada

Labor**Canada - WHMIS - Classifications of Substances**

• Polysorbate 20	9005-64-5	Uncontrolled product according to WHMIS classification criteria
• <i>Proprietary</i>	<i>Proprietary</i>	B3, D2B
• Formaldehyde	50-00-0	A, B1, D1A, D2A, D2B; B3, D1A, D2A, D2B, E (regulated under Formol)
• Methanol	67-56-1	B2, D1B, D2A, D2B (including 28%)
• <i>Proprietary</i>	<i>Proprietary</i>	D2B

Canada - WHMIS - Ingredient Disclosure List

• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	1 %
• Formaldehyde	50-00-0	0.1 %
• Methanol	67-56-1	1 %
• <i>Proprietary</i>	<i>Proprietary</i>	1 %

Environment**Canada - CEPA - Priority Substances List**

• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	Priority Substance List 2 (substance considered toxic)
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

United States**Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	1000 lb TQ
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	2 ppm STEL (See 29 CFR 1910.1048, 15 min); 0.5 ppm Action Level (See 29 CFR 1910.1048); 0.75 ppm TWA (See 29 CFR 1910.1048)
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

Environment**U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	

• Methanol	67-56-1	
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	100 lb final RQ; 45.4 kg final RQ
• Methanol	67-56-1	5000 lb final RQ; 2270 kg final RQ
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	Not Listed
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	100 lb EPCRA RQ
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	500 lb TPQ
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - CERCLA/SARA - Section 313 - Emission Reporting		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	0.1 % de minimis concentration
• Methanol	67-56-1	1.0 % de minimis concentration
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	Not Listed
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

• Formaldehyde	50-00-0	carcinogen, initial date 1/1/88 (gas)
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - California - Proposition 65 - Developmental Toxicity		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	Not Listed
• Methanol	67-56-1	developmental toxicity, initial date 3/16/12
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	Not Listed
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	40 µg/day NSRL (gas)
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - California - Proposition 65 - Reproductive Toxicity - Female		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	Not Listed
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
U.S. - California - Proposition 65 - Reproductive Toxicity - Male		
• Polysorbate 20	9005-64-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Formaldehyde	50-00-0	Not Listed
• Methanol	67-56-1	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

Other Information

- WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 16 - Other Information

Last Revision Date	● 23/April/2015
Preparation Date	● 01/May/2012
Disclaimer/Statement of Liability	● The information on this Safety Data Sheet (SDS) has been compiled from 29 CFR 1910.1200, supplier SDS, other technical references and our testing and experience. Users are responsible for determining the suitability of this product and information for their circumstances and for knowing of and complying with all pertinent federal and

state regulations.

Key to abbreviations

NDA = No Data Available
